



WD=110-HR Series

Model	MAG	WD	NA	RES	DOF	FNO	O/I	Tv distortion	Max CCD	Install
MT05-110-HR	0.5X	110	0.026	12.8	3	9.5	261.96	0.02%	2/3	C Install
MT05-110C-HR	0.5X	110	0.026	12.8	3	9.5	266.31	0.02%	2/3	C Install
MT08-110-HR	0.8X	110	0.036	9.3	1.4	11	239.97	0.01%	2/3	C Install
MT08-110C-HR	0.8X	110	0.036	9.3	1.4	11	244.32	0.01%	2/3	C Install
MT1.0-110-HR	1X	110	0.045	7.4	0.88	11	233.22	0.01%	2/3	C Install
MT1.0-110C-HR	1X	110	0.045	7.4	0.88	11	237.57	0.01%	2/3	C Install
MT1.5-110-HR	1.5X	110	0.063	8.4	0.42	12	241.19	0.03%	2/3	C Install
MT1.5-110C-HR	1.5X	110	0.063	5.4	0.42	12	245.54	0.03%	2/3	C Install
MT2-110-HR	2X	110	0.074	5.4	0.27	13.5	260.68	0.02%	2/3	C Install
MT2-110C-HR	2X	110	0.074	4.5	0.27	13.5	265.03	0.02%	2/3	C Install
MT2.5-110-HR	2.5X	110	0.75	4.5	0.21	16	247.96	0.01%	2/3	C Install
MT2.5-110C-HR	2.5X	110	0.75	4.5	0.21	16	252.31	0.01%	2/3	C Install
MT3-110-HR	3X	110	0.08	4.1	0.19	18	256.09	0.03%	2/3	C Install
MT3-110C-HR	3X	110	0.08	4.1	0.19	18	260.44	0.03%	2/3	C Install
MT4-110-HR	4X	110	0.09	3.7	0.11	22.2	260	0.01%	2/3	C Install
MT4-110C-HR	4X	110	0.09	3.7	0.11	22.2	264.35	0.01%	2/3	C Install
MT6-110-HR	6X	110	0.075	4.5	0.09	39.9	284.65	0.03%	2/3	C Install
MT6-110C-HR	6X	110	0.075	4.5	0.09	39.9	289	0.03%	2/3	C Install


MT05-110-HR




MT05-110C-HR




MT08-110-HR




MT08-110C-HR




MT1.0-110-HR




MT1.0-110C-HR




MT1. 5-110-HR




MT1. 5-110C-HR




MT2. 0-110-HR




MT2. 0-110C-HR




MT2. 5-110-HR




MT2. 5-110C-HR




MT3. 0-110-HR




MT3. 0-110C-HR




MT4. 0-110-HR



MT4. 0-110C-HR



MT6. 0-110-HR



MT6. 0-110C-HR

